

Copyright by 600/1878542.3



Equiplite™



Gliss 105' built by Royal Huisman

Advantages include:

- **The Lower windage and low friction (momentum) in the back of the sail.**
- **Lifetime gets longer.**
- **Quick take off the reef line inclusive the blocks If not required.**

Extremely low weight and lower windage for the main gives improved performance

Equiplite™ Reef Blocks are similar in design to Equiplite™ snatch blocks. Since the super yachts are increasingly larger and the sails lighter, Equiplite light weight reef blocks decrease damage to the sails and increase their life span significantly. There is the possibility to take the reef line inclusive blocks very quickly from the sail if you don't need it in normal wind condition.

Compact less windage design are quick and easy to operate compared to competitive blocks of the same load. Even with cold & wet hands. This allows the block to be extremely light (at least 75% less than competitive assemblies of the same load).



Note: Matching parts should be rounded, smooth, and with no sharp edges or burrs.
 Dyneema loops are coated with an UV coating, recoat when worn for long life. It is recommended that loops should be replaced when worn.

All prices are retail prices in Euro.
 All data approx and subject to change without notice.
 Other sizes available on special order.

Unspecified dims. mm.
 Break load approx. 2 x SWL.

RsB: Reef Blocks			Other throats available		
Part	Sheave ϕ	Max. Line (mm.)	Throat (mm.)	SWL (Kg.)	Wt.(Gm.)
50-150-18 RsB-HL	150	35	65	35.000	2.400
50-135-16 RsB-HL	135	35	60	26.000	2.100
50-125-14 RsB-HL	125	35	55	20.000	1.950
50-120-12 RsB-HL	120	35	55	15.000	1.700
35-120-12 RsB-HL	120	32	47	15.000	1.527
35-95-12 RsB-HL	95	26	47	15.000	1.150
25-78-10 RsB-HL	78	25	45	9.000	585
20-65-8 RsB-HL	65	20	35	7.000	385
18-64-7 RsB-HL	64	16	30	6.000	308
16-46-6 RsB-HL	47	16	27	4.000	158
14-40-5 RsB-HL	40	13	20	3.000	97
12-30-4 RsB-HL	30,5	11	17	2.300	48